Journal of Applied Ecology
1999, **36**,
1083–1087

Index

EDITORIAL

Ormerod, S.J., Pienkowski, M.W. & Watkinson, A.R. Communicating the value of ecology, 847

STANDARD PAPERS

Abbot, J.I.O. & Homewood, K. A history of change: causes of *miombo* woodland decline in a protected area, 422
Alexander, G. *see* **Bearhop, S.**
Allen, E.B. *see* **Stylinski, C.D.**
Allen-Diaz, B. *see* **Fernandez-Gimenez, M.E.**
Andreassen, H.P. *see* **Mauritzen, M.**
Andrén, H. *see* **Rodríguez, A.**
Angers, D.A. *see* **Fierro, A.**
Annila, E. *see* **Kytö, M.**
Arditi, R. *see* **Senina, I.**
Auld, M.H.D. *see* **Mitchell, R.J.**

Baillie, G.J. *see* **Hester, A.J.**
Bank, M.S. *see* **Sarno, R.J.**
Banks, P.B. Predation by introduced foxes on native bush rats in Australia: do foxes take the doomed surplus? 1063
Barendse, R. *see* **Mauritzen, M.**
Barker, A.M., Brown, N.J. & Reynolds, C.J.M. Do host-plant requirements and mortality from soil cultivation determine the distribution of graminivorous sawflies on farmland? 271
Bearhop, S., Thompson, D.R., Waldron, S., Russell, I.C., Alexander, G. & Furness, R.W. Stable isotopes indicate the extent of freshwater feeding by cormorants *Phalacrocorax carbo* shot at inland fisheries in England, 75
Beauchamp, C.J. *see* **Fierro, A.**
Behl, M.J. *see* **Sarno, R.J.**
Beja, P. *see* **Palma, L.**
Bell, D.J. *see* **Peet, N.B.**
Bending, N.A.D. & Moffat, A.J. Tree performance on minespoils in the South Wales coalfield, 784
Bergers, P.J.M. *see* **Mauritzen, M.**
Beukema, J.J. & Cadée, G.C. An estimate of the sustainable rate of shell extraction from the Dutch Wadden Sea, 49
Bignell, D.E. *see* **Davies, R.G.**
Bishop, J. *see* **Moore, N.**
Bissonette, J.A. *see* **Hargis, C.D.**
Blackburn, T.M. *see* **Gaston, K.J.**
Boyd, I.L. *see* **Everson, I.**
Brain, P. *see* **Marshall, E.J.P.**
Brauman, A. *see* **Davies, R.G.**
Bretagnolle, V. *see* **Duncan, P.**
Brockwell, J. *see* **Burdon, J.J.**
Brooks, J. *see* **Jordan, N.**
Brown, N.J. *see* **Barker, A.M.**
Brown, P.R. & Singleton, G.R. Rate of increase as a function of rainfall for house mouse *Mus domesticus* populations in a cereal-growing region in southern Australia, 484
Browne, S.J. *see* **Chamberlain, D.E.**
Buckton, S.T. *see* **Manel, S.**
Burdon, J.J., Gibson, A.H., Searle, S.D., Woods, M.J. & Brockwell, J. Variation in the effectiveness, 398
Burel, F. *see* **Duncan, P.**
Burston, S. *see* **Grundy, A.C.**
Bussink, H. *see* **Mauritzen, M.**
Butterfield, J. Changes in decomposition rates and Collembola densities during the forestry cycle in conifer plantations, 92

Cadée, G.C. *see* **Beukema, J.J.**
Calvo, J.F. *see* **Sánchez-Zapata, J.A.**
Caro, T.M. Densities of mammals in partially protected areas: the Katavi ecosystem of western Tanzania, 205
Chamberlain, D.E., Wilson, A.M., Browne, S.J. & Vickery, J.A. Effects of habitat type and management on the abundance of skylarks in the breeding season, 856
Chambers, F.M., Mauquoy, D. & Todd, P.A. Recent rise to dominance of *Molinia caerulea* in environmentally sensitive areas: new perspectives from palaeoecological data, 719
Chandler-Morris, S.A. *see* **M^{c}Kay, H.V.**
Cheeseman, C. *see* **Moore, N.**
Cherrill, A. & McClean, C. Between-observer variation in the application of a standard method of habitat mapping by environmental consultants in the UK, 989
Christie, F.J. *see* **Major, R.E.**
Clark, S.J. *see* **Osborne, J.L.**
Clark, W.R. *see* **Sarno, R.J.**
Colvin, J. *see* **Holt, J.**
Crawley, M.J. *see* **Edwards, G.R.**

Davies, R.G., Eggleton, P., Dibog, L., Lawton, J.H., Bignell, D.E., Brauman, A., Hartmann, C., Nunes, L., Holt, J. & Rouland, C. Successional response of a tropical forest termite assemblage to experimental habitat perturbation, 946
Delahay, R. *see* **Tuyttens, F.A.M.**
Denis, V. *see* **Robin, J.P.**
Dias, J.M. *see* **Manel, S.**
Dibog, L. *see* **Davies, R.G.**
Digiovanni, G. *see* **Donegan, K.K.**
Donegan, K.K., Seidler, R.J., Doyle, J.D., Porteous, L.A., Digiovanni, G., Widmer, F. & Watrud, L.S. A field study with genetically engineered alfalfa inoculated with recombinant *Sinorhizobium meliloti*: effects on the soil ecosystem, 920
Donelly, C.A. *see* **Tuyttens, F.A.M.**
Doyle, J.D. *see* **Donegan, K.K.**
Draycott, R.A.H. *see* **Hoodless, A.N.**
Dubs, F. *see* **Duncan, P.**

© 1999 British Ecological Society

Duncan, P., Hewison, A.J.M., Houte, S., Rosoux, R., Tournebize, T., Dubs, F., Burel, F. & Bretagnolle, V. Long-term changes in agricultural practices and wildfowling in an internationally important wetland, and their effects on the guild of wintering ducks, 11

Easton, J. *see* **Grant, M.C.**
Edwards, A.S. *see* **Osborne, J.L.**
Edwards, G.R., Crawley, M.J. & Heard, M.S. Factors influencing molehill distribution in grassland, 434
Eggleton, P. *see* **Davies, R.G.**
Ekelund, F. The impact of the fungicide fenpropimorph (Corbel®) on bacterivorous and fungivorous protozoa in soil, 233
Ellis, L.S. *see* **Gange, A.C.**
Elverum, F. *see* **Tenow, O.**
Etheridge, B. *see* **Green, R.E.**
Everson, I., Parkes, G., Kock, K.-H. & Boyd, I.L. Variation in standing stock of the mackerel icefish *Champsocephalus gunnari* at South Georgia, 591

Fedak, M.A. *see* **McConnell, B.J.**
Fensham, R.J. & Holman, J.E. Temporal and spatial patterns in drought-related tree dieback in Australian savanna, 1035
Fernandez-Gimenez, M.E. & Allen-Diaz, B. Testing a non-equilibrium model of rangeland vegetation dynamics in Mongolia, 871
Ferreras, P. & Macdonald, D.W. The impact of American mink *Mustela vison* on water birds in the upper Thames, 701
Fierro, A., Angers, D.A. & Beauchamp, C.J. Restoration of ecosystem function in an abandoned sandpit: plant and soil responses to paper de-inking sludge, 244
Firbank, L.G. *see* **Lintell Smith, G.**
Fisher, J.M. *see* **Hulme, P.D.**
Foley, J., Foley, P. & Pedersen, N.C. The persistence of a SIS disease in a metapopulation, 555
Foley, P. *see* **Foley, J.**
Forsyth, D.M. Long-term harvesting and male migration in a New Zealand population of Himalayan tahr, 351
Frampton, C.M. *see* **Hardersen, S.**
Franklin, W.L. *see* **Sarno, R.J.**
Freckleton, R.P. *see* **Lintell Smith, G.**
Frost, S.D.W. *see* **Woodroffe, R.**
Froud-Williams, R.J. *see* **Haugland, E.**
Furness, R.W. *see* **Bearhop, S.**

Gadgil, M. *see* **Nagendra, H.**
Gange, A.C., Lindsay, D.E. & Ellis, L.S. Can arbuscular mycorrhizal fungi be used to control the undesirable grass *Poa annua* on golf courses? 909
Garthwaite, D. *see* **Moore, N.**
Gaston, K.J., Blackburn, T.M. & Gregory, R.D. Does variation in census area confound density comparisons? 191
Gibson, A.H. *see* **Burdon, J.J.**
Gordon, I.J. *see* **Hester, A.J.**
Gordon, I.J. *see* **Hulme, P.D.**
Gowing, G. *see* **Major, R.E.**
Grant, M.C., Orsman, C., Easton, J., Lodge, C., Smith, M., Thompson, G., Rodwell, S. & Moore, N. Breeding success and causes of breeding failure of culew *Numenius arquata* in Northern Ireland, 59
Grasman, J. *see* **Wallinga, J.**
Green, R.E. & Etheridge, B. Breeding success of the hen harrier *Circus cyaneus* in relation to the distribution of grouse moors and the red fox *Vulpes vulpes*, 472
Gregory, R.D. *see* **Gaston, K.J.**
Gregory, R.D. *see* **Peach, W.J.**
Groeneveld, R.M.W. *see* **Wallinga, J.**
Grogan, A.L. *see* **Philcox, C.K.**
Grundy, A.C., Mead, A. & Burston, S. Modelling the effect of cultivation on seed movement with application to the prediction of weed seedling emergence, 663
Gudvangen, K. *see* **Landa, A.**

Hadley, R.S.C. *see* **Woodroffe, R.**
Hald, A.B. The impact of changing the season in which cereals are sown on the diversity of the weed flora in rotational fields in Denmark, 24
Hamer, K.C. *see* **Phillips, R.A.**
Hammond, P.S. *see* **McConnell, B.J.**
Hardersen, S., Wratten, S.D. & Frampton, C.M. Does carbaryl increase fluctuating asymmetry in damselflies under field conditions? A mesocosm experiment with *Xanthocnemis zealandica* (Odonata: Zygoptera), 534
Hargis, C.D., Bissonette, J.A & Turner, D.L. The influence of forest fragmentation and landscape pattern on American martens, 157
Harris, S. *see* **McDonald, R.A.**
Hart, A.D.M. *see* **M^{c}Kay, H.V.**
Hartmann, C. *see* **Davies, R.G.**
Haugland, E. & Froud-Williams, R.J. Improving grasslands: the influence of soil moisture and nitrogen fertilization on the establishment of seedlings, 263
Heard, M.S. *see* **Edwards, G.R.**
Hester, A.J., Gordon, I.J., Baillie, G.J. & Tappin, E. Foraging behaviour of sheep and red deer within natural heather/grass mosaics, 133
Hewison, A.J.M. *see* **Duncan, P.**
Hill, J.K. Butterfly spatial distribution and habitat requirements in a tropical forest: impacts of selective logging, 564
Hoare, R.E. Determinants of human–elephant conflict in a land-use mosaic, 689
Hoffmann, J.H. *see* **Volchansky, C.R.**
Holman, J.E. *see* **Fensham, R.J.**
Holmgren, B. *see* **Tenow, O.**
Holt, J. *see* **Davies, R.G.**
Holt, J., Colvin, J. & Muniyappa, V. Identifying control strategies for tomato leaf curl virus disease using an epidemiological model, 625
Homewood, K. *see* **Abbot, J.I.O.**

© 1999 British Ecological Society,

Hone, J. On rate of increase (r); patterns of variation in Australian mammals and the implications for wildlife management, 709
Hoodless, A.N., Draycott, R.A.H., Ludiman, M.N. & Robertson, P.A. Effects of supplementary feeding on territoriality, breeding success and survival of pheasants, 147
Hopkin, S.P. *see* **Spurgeon, D.J.**
Houte, S. *see* **Duncan, P.**
Hulme, P.D., Pakeman, R.J., Torvell, L., Fisher, J.M. & Gordon, I.J. The effects of controlled sheep grazing on the dynamics of upland *Agrostis–Festuca* grassland, 886

Ivison, T.J. *see* **Major, R.E.**

Johnson, W.E. *see* **Sarno, R.J.**
Jones, A. *see* **M^{c}Kay, H.V.**
Jordan, N., Kelrick, M., Brooks, J. & Kinerk, W. Biorational management tactics to select against triazine-resistant *Amaranthus hybridus*: a field trial, 123

Kelly, P. *see* **Moore, N.**
Kelrick, M. *see* **Jordan, N.**
Kinerk, W. *see* **Jordan, N.**
Kock, K.-H. *see* **Everson, I.**
Komulainen, V.-M., Tuittila, E.-S., Vasander, H. & Laine, J. Restoration of drained peatlands in southern Finland: initial effects on vegetation change and CO_2 balance, 634
Korhola, A., Weckström, J. & Nyman, M. Predicting the long-term acidification trends in small subarctic lakes using diatoms, 1021
Kropff, M.J. *see* **Wallinga, J.**
Kytö, M., Niemelä, P., Annila, E. & Varama, M. Effects of forest fertilization on the radial growth and resin exudation of insect-defoliated Scots pines, 763

Laine, J. *see* **Komulainen, V.-M.**
Landa, A., Gudvangen, K., Swenson, J.E. & Røskaft, E. Factors associated with wolverine *Gulo gulo* predation on domestic sheep, 963
Langton, S. *see* **Moore, N.**
Langton, S.D. *see* **M^{c}Kay, H.V.**
Lautenschlager, R.A. *see* **Sullivan, T.P.**
Lawton, J.H. *see* **Davies, R.G.**
Le Duc, M.G. *see* **Mitchell, R.J.**
Lek, S. *see* **Spitz, F.**
Lindsay, D.E. *see* **Gange, A.C.**
Lintell Smith, G., Freckleton, R.P., Firbank, L.G. & Watkinson, A.R. The population dynamics of *Anisantha sterilis* in winter wheat: comparative demography and the role of management, 455
Lodge, C. *see* **Grant, M.C.**
Lotz, L.A.P. *see* **Wallinga, J.**
Lovell, P. *see* **McConnell, B.J.**
Ludiman, M.N. *see* **Hoodless, A.N.**

Macdonald, D.W. *see* **Ferreras, P.**
Macdonald, D.W. *see* **Philcox, C.K.**
Macdonald, D.W. *see* **Tuyttens, F.A.M.**
Major, R.E., Christie, F.J., Gowing, G. & Ivison, T.J. Age structure and density of red-capped robin populations vary with habitat size and shape, 901
Mallinson, P.J. *see* **Tuyttens, F.A.M.**
Manel, S., Dias, J.M., Buckton, S.T. & Ormerod, S.J. Alternative methods for predicting species distribution: an illustration with Himalayan river birds, 734
Marrs, R.H. *see* **Mitchell, R.J.**
Marshall, E.J.P. & Brain, P. The horizontal movement of seeds in arable soil by different soil cultivation, 443
Mauquoy, D. *see* **Chambers, F.M.**
Mauritzen, M., Bergers, P.J.M., Andreassen, H.P., Bussink, H. & Barendse, R. Root vole movement patterns: do ditches function as habitat corridors? 409
McClean, C. *see* **Cherrill, A.**
McConnell, B.J., Fedak, M.A., Lovell, P. & Hammond, P.S. Movements and foraging areas of grey seals in the North Sea, 573
M^{c}Coy, C. *see* **M^{c}Kay, H.V.**
McDonald, R.A. & Harris, S. The use of trapping records to monitor populations of stoats *Mustela erminea* and weasels *M. nivalis*: the importance of trapping effort, 679
M^{c}Kay, H.V., Prosser, P.J., Hart, A.D.M., Langton, S.D., Jones, A., M^{c}Coy, C., Chandler-Morris, S.A. & Pascual, J.A. Do wood-pigeons avoid pesticide-treated cereal seed? 283
Mead, A. *see* **Grundy, A.C.**
Mitchell, R.J., Marrs, R.H., Le Duc, M.G. & Auld, M.H.D. A study of the restoration of heathland on successional sites: changes in vegetation and soil chemical properties, 770
Moffat, A.J. *see* **Bending, N.A.D.**
Moore, N. *see* **Grant, M.C.**
Moore, N., Whiterow, A., Kelly, P., Garthwaite, D., Bishop, J., Langton, S. & Cheeseman, C. Survey of badger *Meles meles* damage to agriculture in England and Wales, 974
Morris, R.J. *see* **Osborne, J.L.**
Muniyappa, V. *see* **Holt, J.**

Nagendra, H. & Gadgil, M. Satellite imagery as a tool for monitoring species diversity: an assessment, 388
Newman, C. *see* **Tuyttens, F.A.M.**
Niemelä, P. *see* **Kytö, M.**
Nilssen, A.C. *see* **Tenow, O.**
Nunes, L. *see* **Davies, R.G.**
Nyman, M. *see* **Korhola, A.**

Ormerod, S.J. *see* **Manel, S.**
Orsman, C. *see* **Grant, M.C.**
Osborne, J.L., Clark, S.J., Morris, R.J., Williams, I.H., Riley, J.R., Smith, A.D., Reynolds, D.R. & Edwards, A.S. A landscape-scale study of bumble bee foraging range and constancy, using harmonic radar, 519
Owens, I.F. *see* **Perry, G.L.W.**

© 1999 British Ecological Society,

Painter, D. Macroinvertebrate distributions and the conservation value of aquatic Coleoptera, Mollusca and Odonata in the ditches of traditionally managed and grazing fen at Wicken Fen, UK, 33
Pakeman, R.J. *see* **Hulme, P.D.**
Palma, L., Beja, P. & Rodrigues, M. The use of sighting data to analyse Iberian lynx habitat and distribution, 812
Parkes, G. *see* **Everson, I.**
Pascual, J.A. *see* **M^{c}Kay, H.V.**
Peach, W.J., Siriwardena, G.M. & Gregory, R.D. Long-term changes in over-winter survival rates explain the decline of reed buntings *Emberiza schoeniclus* in Britain, 798
Pedersen, N.C. *see* **Foley, J.**
Peet, N.B., Watkinson, A.R., Bell, D.J. & Sharma, U.R. The conservation management of *Imperata*, 374
Perry, G.L.W., Sparrow, A.D. & Owens, I.F. A GIS-supported model for the simulation of the spatial structure of wildland fire, Cass Basin, New Zealand, 502
Philcox, C.K., Grogan, A.L. & Macdonald, D.W. Patterns of otter road mortality in Britain, 748
Phillips, R.A., Thompson, D.R. & Hamer, K.C. The impact of great skua predation on seabird populations at St Kilda: a bioenergetics model, 218
Porteous, L.A. *see* **Donegan, K.K.**
Prexl, W.S. *see* **Sarno, R.J.**
Prosser, P.J. *see* **M^{c}Kay, H.V.**

Read, J.L. A strategy for minimizing waterfowl deaths on toxic waterbodies, 345
Reynolds, C.J.M. *see* **Barker, A.M.**
Reynolds, D.R. *see* **Osborne, J.L.**
Riley, J.R. *see* **Osborne, J.L.**
Robertson, P.A. *see* **Hoodless, A.N.**
Robin, J.P. & Denis, V. Squid stock fluctuations and water temperature: temporal analysis of English Channel Loliginidae, 101
Rodrigues, M. *see* **Palma, L.**
Rodríguez, A. & Andrén, H. A comparison of Eurasian red squirrel distribution in different fragmented landscapes, 649
Rodwell, S. *see* **Grant, M.C.**
Rogers, L.M. *see* **Tuyttens, F.A.M.**
Røskaft, E. *see* **Landa, A.**
Rosoux, R. *see* **Duncan, P.**
Rouland, C. *see* **Davies, R.G.**
Russell, I.C. *see* **Bearhop, S.**

Sánchez-Zapata, J.A. & Calvo, J.F. Raptor distribution in relation to landscape composition in semi-arid Mediterranean habitats, 254
Sarno, R.J., Clark, W.R., Bank, M.S., Prexl, W.S., Behl, M.J., Johnson, W.E. & Franklin, W.L. Juvenile guanaco survival: management and conservation implications, 937
Schmid, B. *see* **Wettstein, W.**
Searle, S.D. *see* **Burdon, J.J.**
Seidler, R.J. *see* **Donegan, K.K.**
Senina, I., Tyutyunov, Y. & Arditi, R. Extinction risk assessment and optimal harvesting of anchovy and sprat in the Azov Sea, 297
Sharma, U.R. *see* **Peet, N.B.**
Siex, K.S. & Struhsaker, T.T. Colobus monkeys and coconuts: a study of perceived human—wildlife conflicts, 1009
Singleton, G.R. *see* **Brown, P.R.**
Siriwardena, G.M. *see* **Peach, W.J.**
Smith, A.D. *see* **Osborne, J.L.**
Smith, M. *see* **Grant, M.C.**
Sparrow, A.D. *see* **Perry, G.L.W.**
Spitz, F. & Lek, S. Environmental impact prediction using neural network modelling. An example in wildlife damage, 317
Spurgeon, D.J. & Hopkin, S.P. Seasonal variation in the abundance, biomass and biodiversity of earthworms in soils contaminated with metal emissions from a primary smelting works, 173
Struhsaker, T.T. *see* **Siex, K.S.**
Stylinski, C.D. & Allen, E.B. Lack of native species recovery following severe exotic disturbance in southern Californian shrublands, 544
Sullivan, T.P., Lautenschlager, R.A. & Wagner, R.G. Clearcutting and burning of northern spruce-fir, 327
Swenson, J.E. *see* **Landa, A.**

Tappin, E. *see* **Hester, A.J.**
Tenow, O., Nilssen, A.C., Holmgren, B. & Elverum, F. An insect (*Argyresthia retinella*, Lep., Yponomeutidae) outbreak in northern birch forests, released by climatic changes? 111
Thompson, D.R. *see* **Bearhop, S.**
Thompson, D.R. *see* **Phillips, R.A.**
Thompson, G. *see* **Grant, M.C.**
Todd, P.A. *see* **Chambers, F.M.**
Torvell, L. *see* **Hulme, P.D.**
Tournebize, T. *see* **Duncan, P.**
Tuittila, E.-S. *see* **Komulainen, V.-M.**
Turner, D.L. *see* **Hargis, C.D.**
Tuyttens, F.A.M., Macdonald, D.W., Delahay, R., Rogers, L.M., Mallinson, P.J., Donelly, C.A. & Newman, C. Differences in trappability of European badgers *Meles meles* in three populations in England, 1051
Tyutyunov, Y. *see* **Senina, I.**

Varama, M. *see* **Kytö, M.**
Vasander, H. *see* **Komulainen, V.-M.**
Vickery, J.A. *see* **Chamberlain, D.E.**
Volchansky, C.R., Hoffmann, J.H. & Zimmermann, H.G. Host-plant affinities of two biotypes of *Dactylopius opuntiae* (Homoptera: Dactylopiidae): enhanced prospects for biological control of *Opuntia stricta* (Cactaceae) in South Africa, 85

Wagner, R.G. *see* **Sullivan, T.P.**
Waldron, S. *see* **Bearhop, S.**

© 1999 British Ecological Society,

Wallinga, J., Grasman, J., Groeneveld, R.M.W., Kropff, M.J. & Lotz, L.A.P. Prediction of weed density: the increase of error with prediction interval, and the use of long-term prediction for weed management, 307

Watkinson, A.R. *see* **Lintell Smith, G.**

Watkinson, A.R. *see* **Peet, N.B.**

Watrud, L.S. *see* **Donegan, K.K.**

Watson, R. Common themes for ecologists in global issues, 1

Weckström, J. *see* **Korhola, A.**

Wettstein, W. & Schmid, B. Conservation of arthropod diversity in montane wetlands: effect of, 363

Whiterow, A. *see* **Moore, N.**

Widmer, F. *see* **Donegan, K.K.**

Williams, I.H. *see* **Osborne, J.L.**

Wilson, A.M. *see* **Chamberlain, D.E.**

Woodroffe, R., Frost, S.D.W. & Hadley, R.S.C. Attempts to control tuberculosis in cattle by removing infected badgers: constraints imposed by live test sensitivity, 494

Woods, M.J. *see* **Burdon, J.J.**

Wratten, S.D. *see* **Hardersen, S.**

Zimmermann, H.G. *see* **Volchansky, C.R.**

ADVANCES IN APPLIED ECOLOGICAL TECHNIQUES

Harding, K.C. *see* **Härkönen, T.**

Härkönen, T., Harding, K.C. & Lunneryd, S.G. Age- and sex-specific behaviour in harbour seals *Phoca vitulina* leads to biased estimates of vital population parameters, 825

Lockwood, J.A. *see* **Narisu**

Lunneryd, S.G. *see* **Härkönen, T.**

Narisu, Lockwood, J.A. & Schell, S.P. A novel mark–recapture technique and its application to monitoring the direction and distance of local movements of rangeland grasshoppers (Orthoptera: Acrididae) in the context of pest management, 604

Schell, S.P. *see* **Narisu**

BOOK REVIEWS

Berkes, F. & Folke, C. *Linking Social and Ecological Systems: Management Practices and Social Mechanisms for Building Resilience*, 184

Briggs, D. & Walters, S.M. *Plant Variation and Evolution*, 3rd edn, 1072

Dahl, E. *The Phytogeography of Northern Europe (British Isles, Fennoscandia and Adjacent Areas)*, 1073

Everitt, B.S. *Cambridge Dictionary of Statistics*, 842

Herendeen, R.A. *Ecological Numeracy. Quantitative Analysis of Environmental Issues*, 619

Hilborn, R. & Mangel, M. *The Ecological Detective: Confronting Models with Data*, 842

Hill, J., Becker, H.C. & Tigerstedt, P.M.A. Quantitative and Ecological Aspects of Plant Breeding, 619

Hunter, M.L. Jr. *Maintaining Biodiversity in Forest Ecosystems*, 1074

Jarvis, P.G. *European Forests and Global Change*, 1075

Karban, R. & Baldwin, I.T. *Induced Responses to Herbivory*, 185

Madsen, J., Cracknell, G. & Fox, A.D. Goose Populations of the Western Palearctic. A Review of Status and Distribution, 843

Mansfield, T.A., Goulding, K.W.T. & Sheppard, L.J. *Disturbance of the Nitrogen Cycle*, 620

Newbery, D.M., Prins, H.H.T. & Brown, N. *Dynamics of Tropical Communities*, 844

Nobel, P.S. *Physicochemical and Environmental Plant Physiology*, 2nd edn, 1076

Olff, H., Brown, V.K. & Drent, R.H. *Herbivores: Between Plants and Predators*, 1077

Röling, N. & Wagemakers, A. *Facilitating Sustainable Agriculture: Participatory Learning and Adaptive Management in Times of Environmental Uncertainty*, 845

Tilman, D. & Kareiva, P. *Spatial Ecology: The Role of Space in Population Dynamics and Interspecific Interactions*, 621

Urbanska, K.R., Webb, N.R. & Edwards, P.J. *Restoration Ecology and Sustainable Development*, 1078

Van Gardingen, P.R., Foody, G.M. & Curran, P.J. *Scaling-up: From Cell to Landscape*, 618

Wadsworth, R. & Treweek, J. *Geographical Information Systems for Ecology: An Introduction*, 622

White, R.E. *Principles and Practice of Soil Science: The Soil as a Natural Resource*, 3rd edn, 186

Williams, J.E. & Woinarski, J.C.Z. *Eucalypt Ecology. Individuals to Ecosystems*, 623

© 1999 British Ecological Society,